

# ILFORD PHOTO

## HARMAN technology Ltd

### SAFETY DATA SHEET

#### 2000RT Fixer/ Replenisher

According to Regulation (EC) No 1907/2006, Annex II, as amended.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name	2000RT Fixer/ Replenisher
Product number	1758524
Internal identification	10123
Container size	5 Litre

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Photographic Fixer Solution
-----------------	-----------------------------

##### 1.3. Details of the supplier of the safety data sheet

###### Supplier

Distributors

UK: HARMAN technology Ltd, Ilford Way, Mobberley, Cheshire, WA16 7JL, UK Tel: 01565 650000, Fax: 01565 872734. (<http://www.harmantechnology.com>)

Australia: CR Kennedy & Co Pty Ltd, 663 Chapel Street, South Yarra, Victoria 3141, Australia. Tel: 03 9823 1555, Fax: 03 9827 7216

###### Contact person

UK: HS&E Advisor Dr Trevor Rhodes Tel: +44(0)1565 650000, email: [trevor.rhodes@harmantechnology.com](mailto:trevor.rhodes@harmantechnology.com) Australia: Contact Distributor (<http://www.crkennedy.com.au>) Tel +61 (0)3 9823 1555

##### 1.4. Emergency telephone number

Emergency telephone	Australia: 1-800-557346 UK and elsewhere: +44(0) 207 858 1228
---------------------	--

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319
Environmental hazards	Not Classified

##### 2.2. Label elements

###### Pictogram



###### Signal word

Warning

###### Hazard statements

H315 Causes skin irritation.  
H319 Causes serious eye irritation.

## 2000RT Fixer/ Replenisher

<b>Precautionary statements</b>	P102 Keep out of reach of children.
	P280 Wear protective clothing, gloves, eye and face protection.
	P302+P352 IF ON SKIN: Wash with plenty of water.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P501 Dispose of contents/ container in accordance with local regulations.

### 2.3. Other hazards

No information available.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>Ammonium Thiosulphate</b>			<b>30-60%</b>
CAS number: 7783-18-8	EC number: 231-982-0	REACH registration number: 01-2119537325-41-XXXX	
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>		
Not Classified	-		
<b>SODIUM BISULPHITE ....%</b>			<b>1-5%</b>
CAS number: 7631-90-5	EC number: 231-548-0		
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>		
Acute Tox. 4 - H302	Xn;R22 R31		
<b>Acetic acid</b>			<b>&lt; 2%</b>
CAS number: 64-19-7	EC number: 200-580-7	REACH registration number: 01-2119475328-30-XXXX	
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>		
Flam. Liq. 3 - H226 Skin Corr. 1A - H314 Eye Dam. 1 - H318	R10 C;R35		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	No specific symptoms known.
<b>Ingestion</b>	No specific symptoms known.

## 2000RT Fixer/ Replenisher

**Skin contact** This product is moderately irritating.

**Eye contact** Irritating.

### **4.3. Indication of any immediate medical attention and special treatment needed**

**Notes for the doctor** No specific recommendations.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

**Suitable extinguishing media** The product is non-combustible. Use extinguishing media appropriate for surrounding fire.

### **5.2. Special hazards arising from the substance or mixture**

**Specific hazards** The product is non-combustible. No unusual fire or explosion hazards noted.

**Hazardous combustion products** Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Oxides of nitrogen. Oxides of sulphur. Ammonia.

### **5.3. Advice for firefighters**

**Protective actions during firefighting** Avoid breathing fire gases or vapours.

**Special protective equipment for firefighters** Use protective equipment appropriate for surrounding materials. Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Avoid contact with skin and eyes. Provide adequate ventilation. For personal protection, see Section 8.

### **6.2. Environmental precautions**

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground. Collect and dispose of spillage as indicated in Section 13.

### **6.3. Methods and material for containment and cleaning up**

**Methods for cleaning up** Wear protective clothing, gloves, eye and face protection.  
Small Spillages: Flush away spillage with plenty of water.  
Large Spillages: Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

### **6.4. Reference to other sections**

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

**Usage precautions** Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product. Read and follow manufacturer's recommendations.

### **7.2. Conditions for safe storage, including any incompatibilities**

**Storage precautions** Store in tightly-closed, original container. Storage advice to ensure the product remains in a useable condition throughout its specified shelf life: Store at temperatures above 0°C. Store at temperatures not exceeding 30°C.

**Storage class** Chemical storage.

## 2000RT Fixer/ Replenisher

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

#### SODIUM BISULPHITE ....%

Long-term exposure limit (8-hour TWA): WEL 5 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

#### Ammonium Thiosulphate (CAS: 7783-18-8)

<b>DNEL</b>	General population - Inhalation; Long term systemic effects: 104 mg/m <sup>3</sup>
<b>PNEC</b>	- Fresh water; 0.78 mg/l - Marine water; 0.08 mg/l

#### Acetic acid (CAS: 64-19-7)

<b>DNEL</b>	Workers - Inhalation; Short term local effects: 25 mg/m <sup>3</sup> Workers - Inhalation; Long term local effects: 25 mg/m <sup>3</sup> Consumer - Inhalation; Long term local effects: 25 mg/m <sup>3</sup>
<b>PNEC</b>	- Fresh water; Short term 3.058 mg/l - Marine water; Short term 0.3058 mg/l - STP; Short term 85 mg/l

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Provide adequate ventilation. This product must not be handled in a confined space without adequate ventilation.

#### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

#### Hand protection

Use protective gloves.

#### Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination.

#### Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Green-yellow.
<b>Odour</b>	Slight pungent.
<b>pH</b>	pH (concentrated solution): 5.1
<b>Melting point</b>	<0°C

## 2000RT Fixer/ Replenisher

<b>Initial boiling point and range</b>	>100°C @ 760 mm Hg
<b>Evaporation rate</b>	~ 1 H <sub>2</sub> O (water)=1
<b>Vapour pressure</b>	Data lacking.
<b>Relative density</b>	1.34 @ 20°C
<b>Solubility(ies)</b>	Soluble in water. 100%

### 9.2. Other information

<b>Other information</b>	Not available.
--------------------------	----------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

<b>Reactivity</b>	See the other subsections of this section for further details.
-------------------	--

### 10.2. Chemical stability

<b>Stability</b>	Stable under the prescribed storage conditions. No particular stability concerns.
------------------	---

### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	Under normal conditions of storage and use, no hazardous reactions will occur.
---	--

### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	Avoid excessive heat for prolonged periods of time. Avoid contact with acids and alkalis.
----------------------------	---

### 10.5. Incompatible materials

<b>Materials to avoid</b>	Strong acids. Strong alkalis. Avoid contact with other photographic solutions and/or cleaning compounds.
---------------------------	--

### 10.6. Hazardous decomposition products

<b>Hazardous decomposition products</b>	Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours. Ammonia or amines. Sulphur dioxide. Oxides of carbon. Oxides of nitrogen.
---	---

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

<b>Toxicological effects</b>	This chemical formulation has not been tested for health effects. Exposure effects listed are based on existing health data for the individual components that comprise the mixture.
------------------------------	--

#### Acute toxicity - oral

<b>ATE oral (mg/kg)</b>	12,834.33
-------------------------	-----------

<b>Inhalation</b>	No specific health hazards known.
-------------------	-----------------------------------

<b>Ingestion</b>	No specific health hazards known.
------------------	-----------------------------------

<b>Skin contact</b>	This product is moderately irritating.
---------------------	--

<b>Eye contact</b>	Irritating to eyes.
--------------------	---------------------

<b>Acute and chronic health hazards</b>	No known chronic or acute health risks.
---	---

<b>Route of entry</b>	Ingestion. Skin and/or eye contact
-----------------------	------------------------------------

## 2000RT Fixer/ Replenisher

### SECTION 12: Ecological Information

**Ecotoxicity** Not regarded as dangerous for the environment.

#### 12.1. Toxicity

**Toxicity** Not considered toxic to fish.

#### Acetic acid

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: >100 mg/l, Algae

#### 12.2. Persistence and degradability

**Persistence and degradability** No data available.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

#### 12.4. Mobility in soil

**Mobility** The product is soluble in water.

#### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

**Other adverse effects** The product may contribute to an excessive enrichment of the aquatic environment with nutrients.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal methods** Used, diluted, and spent solutions may be allowed to be discharged to sanitary sewer by permit IF allowed by local regulations. Consult your local authority for advice. Waste may have to be pre-treated before discharge. Consult local authorities before discharging any waste to sewer. Do not discharge to septic system. Waste that cannot be discharged to sewer may have to be handled by a licensed hazardous waste contractor.

**Waste class** 090104

### SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

Not applicable.

#### **Transport labels**

No transport warning sign required.

#### 14.4. Packing group

## 2000RT Fixer/ Replenisher

Not applicable.

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to** Not applicable.

**Annex II of MARPOL 73/78  
and the IBC Code**

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU legislation** Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).  
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

**Guidance** Worksafe Australia NOHSC 2012: Labelling of workplace substances.  
Australian Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).  
Australian Approved Criteria for Classifying Hazardous Substances (NOHSC 1008).  
Australian List of Designated Hazardous Substances (NOHSC 10005).  
Australian National Code of Practice for the Preparation of Material safety Data Sheets (NOHSC 2011)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out. See the appended document: Safe Use of Mixtures Information (SUMI)

## SECTION 16: Other information

**General information** HARMAN technology Ltd believe the information and recommendations contained herein are based on correct and factual data. However, no express or implied guarantee or warranty of any kind is made with respect to this information. Use this information only to supplement other information you have gathered and then make an independent determination about the completeness and suitability of all information to ensure the proper use and disposal of this product and the health and safety of employees and customers.

**Key literature references and sources for data** European Photographic Chemical Industry Code of Practice For Classification And Labelling Dangerous Properties of Industrial Chemicals, 6.edition, N.Sax, 1984. Material Safety Data Sheet, Misc. manufacturers.

**Issued by** HS&E Advisor Dr Trevor Rhodes Tel: +44(0)1565 650000, email: trevor.rhodes@harmantechnology.com

**Revision date** 20/11/2017

**Revision** 2

**Supersedes date** 14/05/2015

## 2000RT Fixer/ Replenisher

### **Hazard statements in full**

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.



# ILFORD PHOTO HARMAN technology Ltd

## Safe Use of Mixtures Information (SUMI)

### Automated Photoprocessing using Aqueous based Products

#### Disclaimer

*This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product Safety Data Sheet (SDS), the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS. The REACH registration numbers, where applicable, complete an extended product SDS.*

#### Operational conditions

<b>Maximum duration</b>	1 hour per day for delivery, storage, loading, cleaning and mixing operations. 4-8 hours per day for application.
<b>Frequency of exposure</b>	240 days per year.
<b>Physical state</b>	Aqueous solutions (aq).
<b>Process conditions</b>	Covers use at ambient temperatures. Provide a good standard of controlled ventilation (10 to 15 air changes per hour). Keep emissions below the occupational exposure limits of the ingredients specified in section 8 of the SDS. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures (RMM's) are in place and are being correctly used and Operational Conditions (OC's) followed.

#### Risk management measures

<b>Conditions and measures related to Personal Protection Equipment (PPE), hygiene and health evaluation</b>	<p>Delivery &amp; storage: Wear suitable gloves and labcoat.</p> <p>Application: Wear labcoat and if there is a chance of exposure wear suitable eye protection and suitable gloves.</p> <p>Loading/Cleaning/ Mixing: Wear suitable eye protection with side shield, suitable gloves and labcoat.</p> <p>Wear appropriate chemical resistant gloves: see Section 8 of the SDS.</p> <p>No respiratory protective equipment should be required under normal conditions of use provided that adequate ventilation is in place.</p> <p>Eye wash station and emergency showers are recommended.</p> <p>Avoid breathing mist/vapours.</p> <p>Avoid contact with skin, eyes and clothing.</p> <p>Training of workers in relation to proper use and maintenance of all Personal Protective Equipment must be ensured.</p>
--	---



#### Good practice advice

Use personal protective equipment as required.  
Wash hands before breaks and after work.  
Keep good industrial hygiene and safety practice.  
Use only with adequate ventilation.  
Do not eat, drink or smoke when using this product.  
Wash contaminated clothing before reuse.  
Store at room temperature.



<b>Environmental measures</b>
<p>Do not allow this material to drain into sewers/water supplies.</p> <p>Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.</p> <p>Ensure collection and disposal with appropriately licenced waste contractor.</p> <p>Do not dispose of together with general office waste.</p>
<b>Use descriptors</b>
<p>IS- Use at industrial sites.</p> <p>PW-Widespread use by professional workers.</p>
<p>SU7-Printing and reproduction of recorded media.</p>
<p>PC30-Photochemicals.</p>
<p>PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.</p> <p>PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions.</p> <p>PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition.</p> <p>PROC5- Mixing and blending in batch processes.</p> <p>PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities.</p> <p>PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities.</p> <p>PROC13-Treatment of articles by dipping and pouring.</p>
<p>ERC6b-Use of reactive processing aid at industrial site (no inclusion into or onto article).</p> <p>ERC8b-Widespread use of reactive processing aid (no inclusion into or onto article, indoor).</p>
<b>Additional information on product composition</b>
<p>In section 2 of the SDS as well as on the label, the classification of the mixture is provided.</p> <p>All ingredients contributing to the classification are stated in Section 3 of the SDS.</p> <p>Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.</p> <p>The product may contain sensitizing ingredients that may cause allergic reaction to certain people.</p> <p>Section 2 of the SDS states these ingredients where applicable.</p> <p>Note that this will be usually the concentrate needed to create the working strength (WS) solution. In some cases the product will be RTU (Ready to Use) and will not require diluting. Hence there is a need to estimate the WS composition on a cases by case basis.</p> <p>Mixing aqueous solutions creates a slightly different risk management method than mixing powders as the latter is normally done by operators wearing respirators suitable for the particle size and hazard posed by the substance(s).</p>